



MYLAN LABORATORIES LIMITED
Plot No. 11,12 and 13, Indore SEZ Pharma Zone,
Phase –II, sector –III, Pithampur - 454775,
Dist: Dhar, Madhya Pradesh, India.

**CERTIFICATE OF ANALYSIS
(WORKING STANDARD)**

Name:: Tenofovir Disoproxil Fumarate

Source Batch No.	20157720	W.S. A.R. No.	MLPWSD23000011
Date of Standardisation	Mar 10 2023 1:54PM	Standardized against	Tenofovir Disoproxil Fumarate USPRS Batch No.: R08290
Storage Condition	Control Room Temperature	Validity	Mar 01, 2024
STP No.	RMPTDF067-06	Ref. Specification	RMSTDF067-06

S. No.	TEST	SPECIFICATION	RESULTS
1	Description	White to off white powder	Off white powder.
2	By Infrared absorption	The absorption maxima in the spectrum obtained with the sample should correspond in position and relative intensity to those in the spectrum obtained with Tenofovir Disoproxil Fumarate RS / working standard	The absorption maxima in the spectrum obtained with the sample correspond in position and relative intensity to those in the spectrum obtained with Tenofovir Disoproxil Fumarate RS
3	Assay (By HPLC)	On anhydrous basis: Not less than 98.0% w/w and not more than 102.0% w/w On as basis: For information	On as is basis:98.7 % On anhydrous basis:99.1 % w/w
4	Water content (by KF)	Not more than 1.0% w/w	0.42 % w/w

Remarks: APPROVED (Sample Conforms to above Specification)

Checked By	Sandeep.Shrotriya	Approved By	Sharad kumar.Singh
Checked On	Mar 10 2023 12:14PM	Approved On	Mar 10 2023 1:54PM
Printed by: ANIRUDDHA.WAGHMARE	Printed on: Mar 10 2023 2:06PM	Copy No.: 2	Page No.: 1 of 1

Note : This document has been generated electronically and is valid without signature.

Format No.N/A

Plot No. 564/A/22, Road No. 92, Jubilee Hills, Hyderabad - 500 096, Telangana, India
Tel: 91-40-30866666, 23550543, Fax: 30866699

www.mylanlabs.in